

University of Wollongong

Research Online

Faculty of Science, Medicine and Health -
Papers: part A

Faculty of Science, Medicine and Health

1-1-2014

Oxygen and strontium isotope tracing of human migration at the Bell Beaker site Le Tumulus des Sables, France

Malte Willmes

Australian National University

Hannah James

University of Cambridge

Ceridwen Boel

Australian National University

Patrice Courtaud

University of Bordeaux

Antoine Chancerel

Musee National de Prehistoire

See next page for additional authors

Follow this and additional works at: <https://ro.uow.edu.au/smhpapers>



Part of the [Medicine and Health Sciences Commons](#), and the [Social and Behavioral Sciences Commons](#)

Recommended Citation

Willmes, Malte; James, Hannah; Boel, Ceridwen; Courtaud, Patrice; Chancerel, Antoine; McMorrow, Linda; Armstrong, Richard A.; Kinsley, Leslie; Aubert, Maxime; Eggins, Stephen; Moffat, Ian; and Grün, Rainer, "Oxygen and strontium isotope tracing of human migration at the Bell Beaker site Le Tumulus des Sables, France" (2014). *Faculty of Science, Medicine and Health - Papers: part A*. 2060.
<https://ro.uow.edu.au/smhpapers/2060>

Research Online is the open access institutional repository for the University of Wollongong. For further information contact the UOW Library: research-pubs@uow.edu.au

Oxygen and strontium isotope tracing of human migration at the Bell Beaker site Le Tumulus des Sables, France

Abstract

Geophysical Research Abstract of EGU General Assembly 2014, held 27 April - 2 May, 2014 in Vienna, Austria.

Disciplines

Medicine and Health Sciences | Social and Behavioral Sciences

Publication Details

Willmes, M., James, H., Boel, C., Courtaud, P., Chancerel, A., McMorrow, L., Armstrong, R. A., Kinsley, L., Aubert, M., Eggins, S., Moffat, I. & Grün, R. (2014). Oxygen and strontium isotope tracing of human migration at the Bell Beaker site Le Tumulus des Sables, France. Geophysical Research Abstracts of EGU General Assembly 2014 (pp. 1-1). UK: ADS.

Authors

Malte Willmes, Hannah James, Ceridwen Boel, Patrice Courtaud, Antoine Chancerel, Linda McMorrow, Richard A. Armstrong, Leslie Kinsley, Maxime Aubert, Stephen Eggins, Ian Moffat, and Rainer Grün



Oxygen and strontium isotope tracing of human migration at the Bell Beaker site Le Tumulus des Sables, France.

Malte Willmes (1), Hannah James (1), Ceridwen Boel (1,2), Patrice Courtaud (3), Antoine Chancerel (4), Linda McMorro (1), Richard Armstrong (1), Les Kinsley (1), Maxime Aubert (1,5), Stephen Eggins (1), Ian Moffat (1,6), and Rainer Grün (1)

(1) The Australian National University, Earth Environment, Research School of Earth Sciences, Canberra, Australia (malte.willmes@anu.edu.au), (2) University of New South Wales, School of Biological, Earth and Environmental Sciences, Evolution and Ecology Research Centre, (3) University of Bordeaux, CNRS, MCC, PACEA UMR5199 F-33400 Talence, France, (4) Musée National de Préhistoire, 24 Eyzies-de-Tayac, France, (5) University of Wollongong, School of Earth and Environmental Sciences, Centre for Archaeological Science, Wollongong 2522, NSW, Australia, (6) Flinders University, Department of Archaeology, Adelaide, 5000, SA, Australia

Oxygen ($\delta^{18}\text{O}$) and strontium ($^{87}\text{Sr}/^{86}\text{Sr}$) isotopes were used as tools to investigate human migration at the early Bell Beaker site (2500-2000 BC) Le Tumulus des Sables, Saint-Laurent-Médoc, south-west France. The O and Sr isotope ratios measured in tooth enamel record the average dietary isotope signature ingested by that individual during their childhood. When this data is compared to the isotope signature of the burial site it can be used to indicate if the individual migrated into this area during their lifetime. The O isotopic composition of meteoric water changes depending on climate, temperature and quantity of precipitation. O isotope ratios in skeletal and dental remains are related to body water, which in turn is influenced by diet, physiology and climate. Most of the water consumed by large mammals comes from drinking water, typically sourced locally. Sr isotope ratios on the other hand vary between different geologic regions, depending on their age and composition. Sr is released through weathering and transported into the soil, ground and surface water, where it becomes available for uptake by plants, enters the food cycle and eventually ends up in skeletal and dental tissue where it substitutes for calcium.

We analysed the teeth of 18 adult and 8 juvenile disarticulated skeletons from Le Tumulus des Sables. O isotopes were analysed in-situ by Sensitive High Resolution Ion Micro Probe (SHRIMP). The Sr isotope analysis involved drilling a 0.2-0.5 mg sample of enamel from the tooth. The Sr was then chemically separated and analysed by Thermal Ionization Mass Spectrometry (TIMS). These results were then compared to the O isoscape of Europe and bioavailable Sr isotope data (fauna, plants, soils) from the IRHUM database. We found that most of the individuals at Le Tumulus des Sables show O and Sr isotope ratios corresponding to the local environmental signal and we interpret these as part of the local population. 3 adults however show slightly higher $^{87}\text{Sr}/^{86}\text{Sr}$ ratios, which correspond to a clay and limestone unit in close proximity (<25 km) to the burial site, suggesting some limited mobility. In conclusion the application of O and Sr isotopes has allowed us to investigate mobility at this site and offers an additional string of evidence to interpret the mobility or lack of it of Bell Beaker populations in prehistoric Europe.